
TWISTED PAIR TRANSMISSION SYSTEM - Passive Series

ITEM NO.: TTP111VLH



Features:

- Transmit a full motion color video signal up to 300 meters.
- Used as a transmitter, the TTP111VLH Weather Proof IP65, has a 25cm Mini coax cable to be suitable install with outdoor camera.
- Used as Receiver, the TTP111VLH compact size is perfect to connect with the image processor, which have multi BNC connections, as like Multiplexer, Quad, DVR ...etc.
- Distance Up to 1Km when used with an active receiver such as TTA111AVR.
- Passive, no power required.
- Eliminate coaxial cable.
- Up to multi TTP111VLH can work with 1U rack mounting multi channel receiver panel such as TPP016, TPA016.



TTP111VLH: Exceptional Interference Rejection (Perfect for DVR)

Built in a highly balanced mode of video transmission, which is immune to interference from these, and other sources of noise: Data Signals, Other Video Signals, Nearby Power, Ringing Telephones, Fluorescent Lights, Transformers, And More...

Specification:

| ITEM NO. | TTP111VLH |
|-----------------------------|--|
| VIDEO INPUT (BNC Connector) | 1 |
| VIDEO INPUT | 1V p-p, 75 Ohms |
| RJ-45 INPUT | X |
| RJ-45 OUTPUT | Terminal |
| TRANSMISSION DISTANCE | 300M(Max) |
| CABLE FOR RJ-45 | Twisted Pair CAT5 (AWG24) |
| POWER | X |
| TEMPERATURE | Operation: 0 to 55° , Storage: -20 TO 85° , Humidity: up to 95° |
| DIMENSIONS W x H x D mm | 23 x 23 x 330 + 250 mm mini coax cable |
| WEIGHT g | 52 |